




The world-leading
Wood pellet certification

ENplus® Standard

*Usage of the ENplus® trademarks
- Requirements*

ENplus® ST 1003:2022, second edition



Valid globally

EPC/ Bioenergy Europe
Place du Champ de Mars 2
1050 Brussels, Belgium
Tel: + 32 2 318 40 35,
E-mail: enplus@bioenergyeurope.org

Name of the Document: Usage of the ENplus® trademarks - Requirements

Title of the Document: ENplus® ST 1003:2022, second edition

Approved by: European Pellet Council General Assembly

Approval Date: 18.06.2025

Publication date: 01.10.2025

Entry into force date: 01.01.2026

Copyright notice

© Bioenergy Europe / DEPI 2022

This document is copyright-protected by Bioenergy Europe and DEPI. This document is freely available from the official ENplus® website (www.enplus-pellets.eu) or upon request.

No part of this document, covered by the copyright, may be changed or amended, reproduced or copied in any form or by any means, for commercial purposes, without the permission of Bioenergy Europe or DEPI.

For countries outside Germany, the only official version of this document is in English. Translations of this document can be provided by EPC/ Bioenergy Europe or a National Licenser/National Promoting Association. In case of any doubt, the English version prevails.

For Germany, the only official version of this document to be used in Germany is in German.

Foreword

The European Pellet Council (EPC), founded in 2010 and a network of Bioenergy Europe AISBL, is an umbrella organisation that represents the interests of the European wood pellet sector. Its members are national pellet-, or pellet-related associations from numerous countries in and outside of Europe. The EPC provides a platform for the pellet sector to discuss issues that must be managed in the transition from a niche product to a major energy commodity. These issues include standardisation and certification of pellet quality, safety, security of supply, education and training, and pellet quality measuring devices.

Deutsches Pelletinstitut GmbH (German Pellet Institute) (**DEPI**) was founded in 2008 as a subsidiary of Deutscher Energieholz- und Pellet-Verband e. V. (German Wood Fuel and Pellet Association) (DEPV), and provides a communication platform and competence centre for topics related to heating with wood pellets. In 2010, **DEPI** created, in cooperation with German Biomass Research Center Leipzig (DBFZ) and proPellets Austria, the ENplus® scheme. In 2011, the trademark rights for all countries, except Germany, transferred to the EPC.

Today, the EPC is the governing body for the ENplus® quality certification scheme for all countries except Germany, which is governed by **DEPI**.

This document replaced ENplus® ST 1003:2002, first edition, and will come into force on 1 January 2026.

NOTE: The requirements in this document do not apply to the permanent use of the **ENplus® trademarks** before the publication of this document, e.g. usage of the **ENplus® logo** on the truck or building.

Contents

Foreword	3
Introduction	5
1. Scope	6
2. Normative references	7
3. Terms and Definitions	8
4. ENplus® copyright and trademark protected material and its coverage	13
5. Ownership and rights to use ENplus® trademarks	14
6. User categories of ENplus® logo and name	15
7. Use of ENplus® trademarks	16
7.1 General requirements.....	16
7.2 On-product use	18
7.2.1 ENplus® wordmark with ENplus® quality class	18
7.2.2 ENplus® quality seal.....	18
7.2.3 ENplus® bag design	19
7.3 Off-product use	24
7.3.1 ENplus® certification seal.....	24
7.3.2 ENplus® service sign	25
7.3.3 ENplus® logo.....	26
Annex A. Colour combinations of the ENplus® logo, ENplus® certification seal, ENplus® service sign, and ENplus® quality seal	28

Introduction

The key objective of the ENplus® scheme is to manage an ambitious certification scheme that thrives for consistent, high quality wood pellets. The **ENplus® logo** allows pellet quality to be communicated to customers and consumers in a transparent and verifiable way.

Wood pellets are a renewable fuel produced primarily from sawmill residues. Wood pellets are used as a fuel for residential heating systems as well as for industrial burners. They are a refined fuel that can be damaged during handling. Due to this, quality management is a necessity and should cover the entirety of the supply chain, from the choice of raw material to the final delivery to the end-user.

The ENplus® scheme covers technical properties of pellets, quality management related to the properties of the pellets, and customer satisfaction within the entire supply chain, from pellet production to end use.

The ENplus® scheme is primarily focused on the domestic and commercial heating sector, but the ENplus® certification is also available to all other actors within the pellet industry.

The 4th major **revision** of the ENplus® scheme resulted in a comprehensive change in the structure of the **ENplus® documentation**, in parameters for ENplus® certified pellets and relating processes, and management system requirements.

This document is part of the **ENplus® documentation** that consists of ENplus® **standards**, ENplus® guidance documents, as well as ENplus® procedural documents. The following ENplus® **standards** are an integral part of the ENplus® scheme:

- a) ENplus® ST 1001, ENplus® wood pellets – Requirements for companies;
- b) ENplus® ST 1002, Requirements for certification and testing bodies operating the ENplus® certification (not valid for Germany);
- c) ENplus DE ST 1002, Requirements for certification, inspection and testing bodies operating ENplus certification (valid for Germany, only available in German language);
- d) ENplus® ST 1003, Usage of the ENplus® trademarks – Requirements

The current versions of the **ENplus® documentation** are published on the **official ENplus® website**.

The term “shall” is used throughout this document to indicate those provisions that are mandatory. The term “should” is used to indicate those provisions which, although not mandatory, are expected to be adopted and implemented. The term “may” indicates permission, whereas “can” refers to the ability of, or a possibility open to, a user of this document.

The terms written in bold characters are defined in the chapter 3. Terms and Definitions.

1. Scope

1.1 This document specifies requirements for the use of the following ENplus® copyright and trademark protected material by ENplus® certified **companies** and other entities.

1.2 This document defines requirements for the use of various labels or declarations that consist of the **ENplus® logo**, ENplus® wordmark, and / or the **ENplus® quality class logo**:

- a) ENplus® wordmark with quality class;
- b) ENplus® wordmark;
- c) **ENplus® certification seal**;
- d) **ENplus® quality seal**;
- e) ENplus® bag design;
- f) **ENplus® service sign**.

1.3 This document also outlines the legal protection of the ENplus® copyright and trademark protected material.

2. Normative references

The following referenced documents are essential for the application of this document as defined in its requirements. For undated references, the latest edition of the referenced document (including any amendment) applies.

ENplus® ST 1001, *ENplus® wood pellets – Requirements for companies*

3. Terms and Definitions

3.1 bag design approval number

A unique alfa-numerical code issued by the relevant **ENplus® scheme management** to the **bag design owner** for each approved bag design.

3.2 bag design owner

The **company** permitted by the **ENplus® scheme management** to use the bag design.

NOTE: The **ENplus® ID** of the **bag design owner** is displayed in the bag design.

3.3 bagged pellets

Pellets in a packaging unit that protects the pellets from quality degradation with a filling weight between 5 kg and 50 kg.

NOTE 1: A plastic bag is a typical example of a packaging unit for **bagged pellets**.

NOTE 2: Requirements for usage of the **ENplus®** bag design are defined in this document.

3.4 big bag

A flexible intermediate bulk container (FIBC) made of flexible fabric that is designed for storing and transporting **bulk pellets** with a typical capacity of 1,500L. A delivery of pellets in **big bags** is considered a delivery of **bulk pellets**.

NOTE 1: A **big bag** can be sealed or unsealed.

NOTE 2: Delivery of pellets in **big bags** is considered as a **large-scale delivery**.

3.5 bulk pellets

Pellets other than **bagged pellets** produced, stored, handled, or transported loose.

NOTE: **Bulk pellets** also includes pellets in **big bags**.

3.6 certification scope

The range or characteristics of the object of the conformity assessment covered by the **ENplus®** certificate, including quality class of **ENplus®** certified pellets, a **company's** activities (**producer, trader, or service provider**) and critical business activities, sites, and **service providers** covered by the **ENplus®** certification.

[source: modified from ISO/IAC 17000]

3.7 company

An entity that implements the requirements of **ENplus®** ST 1001.

3.8 consensus

General agreement characterised by the absence of sustained opposition to substantial issues by any important part of the concerned interest and by a process that involves seeking to take into account the views of all parties concerned and to reconcile any conflicting arguments.

NOTE: A **consensus** need not imply unanimity [ISO/IEC Guide 2].

3.9 DEPI

DEPI (Deutsches Pelletinstitut GmbH) is ENplus® governing body for Germany, certification body responsible for all certification activities within Germany and acts as inspection body within Germany.

3.10 ENplus® certification body

A body that is recognised to perform certification within the ENplus® certification scheme.

3.11 ENplus® certification seal

A distinctive graphic consisting of the **ENplus® logo** and unique **ENplus® ID**.

NOTE: The use of the **ENplus® certification seal** is described in this document.

3.12 ENplus® documentation

Documents that include requirements, guidance, and procedures of the ENplus® scheme.

NOTE: The **ENplus® documentation** structure is shown in ENplus® PD 2001, Annex A and includes ENplus® **standards**, ENplus® guidance documents and ENplus® procedural documents.

3.13 ENplus® ID

Unique alpha-numerical code issued by the relevant **ENplus® scheme management** to every ENplus® certified **company**.

NOTE: The use of the **ENplus® ID** is described in this document.

3.14 ENplus® International Management

Bioenergy Europe AISBL represented by the European Pellet Council (EPC), is the governing body of the ENplus® certification scheme with overall responsibility for the management of the ENplus® scheme outside Germany.

3.15 ENplus® logo

A distinctive graphic design that is a registered trademarked material and that is also part of the **ENplus® certification seal**, **ENplus® quality seal** and of the **ENplus® service sign** along with the **ENplus® ID**.

NOTE: The use of the **ENplus® logo** is described in this document.

3.16 ENplus® National Licensor

A governing body of the ENplus® certification scheme appointed by **ENplus® International Management** to manage the ENplus® scheme within a specific country.

NOTE: Contact details for **ENplus® National Licensors** are available by country on the **official ENplus® website**.

3.17 ENplus® National Promoting Association

An entity appointed by **ENplus® International Management** to promote the ENplus® scheme within a respective country.

3.18 ENplus® quality class logo

A distinctive graphic referring to the ENplus® quality classes.

NOTE: The use of the **ENplus® quality class logo** is described in this document.

3.19 ENplus® quality seal

A distinctive graphic referring to the ENplus® quality classes consisting of the **ENplus® logo**, **ENplus® quality class logo** and unique **ENplus® ID**.

NOTE: The use of the **ENplus® quality seal** is described in this document.

3.20 ENplus® scheme management

A governing body of the ENplus® certification scheme that is either **ENplus® International Management**, an **ENplus® National Licenser**, or **DEPI** operating within their respective regions.

NOTE: Contact details for the **ENplus® scheme management** are available by country on the **official ENplus® website**.

3.21 ENplus® service sign

A distinctive graphic issued by the relevant **ENplus® scheme management** to every ENplus® certified **service provider** that includes the ENplus® **service provider logo** and the **ENplus® ID**.

NOTE: The use of the **ENplus® service sign** is described in this document.

3.22 ENplus® testing body

A body that is recognised to perform testing within the ENplus® certification scheme.

[source: modified from ISO 17020]

3.23 ENplus® trademarks

ENplus® copyright and trademark protected material (ENplus® figurative marks and wordmarks) that refers to the quality of pellets according to the ENplus® certification scheme.

3.24 large-scale delivery

A delivery of **bulk pellets** to a customer other than the **small-scale delivery**.

NOTE: Examples of **large-scale delivery**: a delivery of a complete truck load to one end-user above 20 tonnes, a delivery to a **trader**, a delivery by trains or vessels, a delivery of **big bags**.

3.25 multisite company

An organisation which is identified in having a central function relating to pellet production or trade (normally and hereafter referred to as a 'central office'). Here certain activities relating to quality management are planned, controlled, and managed within a network of local offices or branches (sites) at which such activities are fully or partially carried out.

NOTE 1: Typical cases of a **multisite company** are:

- a) a **producer** with a network of production sites, storage sites, delivery trucks, and/or sales offices that are a part of a single legal entity or are separate legal entities but with the managerial control by the legal entity of the **producer**;

- b) a **trader** with a network of other **traders** with or without delivery trucks, storage sites, or/and sales organisations that are a part of a single legal entity or are separate legal entities but with the managerial control by the legal entity of the certified **trader**;
- c) a **company** outsourcing activities to a **service provider** without a valid ENplus® certification.

NOTE 2: Eligibility criteria applicable to a **multisite company** are defined in ENplus® ST 1001, chapter 4.

3.26 official ENplus® website

The official website of the ENplus® scheme managed by the **ENplus® International Management** (www.enplus-pellets.eu) for all countries except Germany and by **DEPI** (www.enplus-pellets.de) for Germany.

3.27 off-product use of ENplus® trademarks

Referring to the use of **ENplus® trademarks** other than **on-product use** which is not referring to a final product.

3.28 on-product use of ENplus® trademarks

The use of **ENplus® trademarks** in connection with, or reference to ENplus® certified pellets including:

- a) the use directly related to the individual certified pellets i.e. tangible products (bulk products), products in individual packaging, containers or bags, as well as vehicles for the transport of products;
- b) the use on documentation associated with pellets (an invoice/ packaging list/ advertisement/ brochure/ website/ social media, etc.), where the use of **ENplus® trademarks** refers to the individual certified pellets.

NOTE: Any use which can be received or understood by buyers or the public as referring to a specific product is considered as **on-product use**.

3.29 producer

A **company** producing wood pellets in its own facilities.

NOTE: A **producer** trading its own pellets through **large-scale delivery** is not considered a **trader**. A **producer** is considered a **trader** where its trading activities include **small-scale delivery**, or trades pellets procured from other **companies**.

3.30 revision

Introduction of all necessary changes to the substance and presentation of a normative document.

NOTE: The results of the **revision** are presented by issuing a new edition of the normative document [ISO/IEC Guide 2].

3.31 service provider

A **company** offering the following services without having ownership over the pellets.

- a) bagging of pellets;
- b) **small-scale delivery** of pellets;
- c) storage of **bulk pellets** in a facility from which the pellets are delivered to the end-users.

NOTE: The **producer** or **trader** can also become a **service provider** for another **company** where they do not have ownership over the pellets and conduct activities defined above.

3.32 small-scale delivery

A delivery of **bulk pellets** to an end-user that does not exceed 20 tonnes. This excludes deliveries of pellets in **big bags** and **vending machines**.

NOTE: A typical example of a **small-scale delivery** is a delivery of pellets to more end-users (households) along a single route (multi-drop).

3.33 standard

A document established by **consensus** and approved by a recognised body that provides, for common and repeated use, rules, guidelines or characteristics for activities or their results, aimed at the achievement of the optimum degree or order in a given context.

NOTE: **Standards** should be based on the consolidated results of science, technology, and experience, and aimed at the promotion of optimum benefits [ISO/IEC Guide 2].

3.34 trade of bulk pellets without physical contact

Trading in **bulk pellets** that takes ownership of the pellets but does not have physical possession of the pellets.

NOTE 1: "Physical possession" is defined as having physical control of the pellets directly or through a contracted **service provider** within a **multisite company** (ENplus® ST 1001, 7.2.4.1 c)) or a subcontractor. Service provision according to ENplus® ST 1001, 7.2.4.1 a) or 7.2.4.1 b) is not defined as "physical possession".

NOTE 2: An entity conducting the **trade of bulk pellets without physical contact** can use **ENplus® trademarks** either based on its own ENplus® certification or based on written permission from the ENplus® certified **company** as defined in this **standard**.

NOTE 3: Trading without physical contact as an ENplus® certified **company** is defined as a critical business activity (see ENplus® ST 1001, Annex B).

3.35 trader

A **company** trading wood pellets. It can include the storage and / or delivery of pellets.

NOTE: The term "**trader**" also covers the term "**producer**" where the **producer's** trading activities include **small-scale delivery** or trades pellets procured from other **companies**.

3.36 vending machine

A self-service machine for the supply of small-scale quantities of **bulk pellets** to end-users.

NOTE: Self-service machines for the collection of pellets by **traders**, **service providers** or subcontractors are no **vending machines** in terms of this **standard**.

4. ENplus® copyright and trademark protected material and its coverage

4.1 The ENplus® copyright and trademark protected material (here-in-after “**ENplus® trademarks**”) includes:

a) The figurative mark of the **ENplus® logo**;

b) The figurative mark of the **ENplus® quality class logo** A1, A2, and B;

The figurative mark of the ENplus® **service provider** logo; and

The wordmark of “ENplus”.

4.2 **ENplus® trademarks** refer to the quality of pellets according to the ENplus® certification scheme and conforming to the ENplus® requirements defined in ENplus® ST 1001.

5. Ownership and rights to use ENplus® trademarks

5.1 ENplus® trademarks (see 4.1) are copyrighted, registered, and owned by Deutsches Pelletinstitut GmbH (DEPI). DEPI has the exclusive right to the usage and further licensing of the **ENplus® trademarks** to other entities, including for possible fraud investigation and any legal actions in Germany.

DEPI has conferred Bioenergy Europe AISBL the exclusive right to the usage and further licensing of **ENplus® trademarks** to other entities, including for possible fraud investigations and any legal actions, outside Germany.

5.2 The trademarked wordmark 'ENplus' shall only be used in this format without any translation.

5.3 Any entity operating in the wood pellets supply chain, except **traders** of ENplus® certified **bagged pellets**, shall only use **ENplus® trademarks** for **on-product** and **off-product** purposes under the authority of a valid ENplus® trademark license issued by the relevant **ENplus® scheme management**, provided that the requirements of the ENplus® scheme, including the payment of the license fees (see the relevant international or national version of the ENplus® PD 2006), are being complied with. In case of a **multisite company**, a single ENplus® trademark license with a single **ENplus® ID** is issued to the entire **multisite company** covering all the sites referenced in the **certification scope**, separately for each **company** category (**producer, trader** or **service provider**).

NOTE 1: End-users of wood pellets are considered as entities outside the supply chain.

NOTE 2: This **standard** allows **traders** of **bagged pellets** to use **ENplus® trademarks** under three alternative regimes:

- a) as an ENplus® certified **trader** of **bagged pellets** (the **bag design owner**) based on its own ENplus® trademark license and **ENplus® ID** (see 6 a));
- b) without an ENplus® certificate (see 6 c)) based on 5.4 and 7.1.2 (See alternative to 7.1.2 "based on permission of the relevant **ENplus® scheme management**"); or
- c) without an ENplus® certificate based on permission of an ENplus® certified **company** (see 7.1.3).

NOTE 3: The wording "under the authority of a valid **ENplus® trademark** license" also covers permissions to non-certified entities in the supply chain issued in accordance with 7.1.3.

5.4 Traders of **bagged pellets** without the ENplus® certification may use **ENplus® trademarks** without an ENplus® trademark license in compliance with 7.1.2.

5.5 Other entities (defined in 6 d) as "other users") may use the **ENplus® logo** and the trademarked wordmark 'ENplus' for **off-product use** without an ENplus® trademark license.

5.6 For the avoidance of doubt, any **off-product use** of **ENplus® trademarks** and / or related communication by other users shall not be misleading and / or (intentionally) harm the credibility of the ENplus® certification scheme, Bioenergy Europe, and / or **DEPI**. Bioenergy Europe or **DEPI** reserves all rights to undertake legal action in this regard, including without limitation, its right to intervene on the basis of its rights as a ENplus® trademark holder.

6. User categories of ENplus® logo and name

The following four user categories may use **ENplus® trademarks**:

- a) ENplus® certified **producers** and **traders**, i.e. entities holding a valid ENplus® certificate and holding a valid ENplus® trademark license issued by the relevant **ENplus® scheme management**;
- b) ENplus® certified **service providers**, i.e. entities holding a valid ENplus® certificate and holding a valid ENplus® trademark license issued by the relevant **ENplus® scheme management**;
- c) **traders** of ENplus® certified **bagged pellets**, i.e. entities trading **bagged pellets** without an ENplus® certificate and ENplus® trademark license;
- d) other users, i.e. entities that are not involved in the wood pellets supply chain including:
 1. **ENplus® National Licensers** and **ENplus® National Promoting Associations**;
 2. certification, inspection and testing bodies operating under the ENplus® certification scheme;
 3. other entities using the **ENplus® logo** and/ or the wordmark “ENplus” for promotional and educational purposes (bioenergy/renewable energy associations, research and educational institutions, governmental organisations, consumers organisations, etc.);
 4. ENplus® pellet end-users;
 5. boiler and stove manufacturers;
 6. other technology providers.

NOTE 1: Category **a)** also covers entities without ENplus® certification that are allowed to use **ENplus® trademarks** according to **7.1.3**.

NOTE 2: The user category including **traders** of **bagged pellets** without an ENplus® certificate (see bullet point **c)**) also covers those **traders** that hold the ENplus® certificate, but its scope does not cover the trade of **bagged pellets**.

7. Use of ENplus® trademarks

7.1 General requirements

7.1.1 **ENplus® trademarks** shall only be used for **on-product** and **off-product** purposes following specifications in Table 1.

● Table 1

On- and off-product use of the ENplus® trademarks

ENplus® declarations and labels (consisting of ENplus® trademarks)		ENplus® certified producers and traders	ENplus® certified service providers	Traders of bagged pellets (not certified)	Other users
On-product	ENplus® wordmark with quality class (e.g. ENplus® A1), (see 7.2.1)	Yes	No	Yes	No (see NOTE 1)
	ENplus® quality seal, (see 7.2.2)	Yes	No	Yes	No (see NOTE 1)
	Individual ENplus® bag design, (see 7.2.3)	Yes	No	No (see NOTE 2)	No
Off-product	ENplus® wordmark, (see 5.2)	Yes	Yes	Yes	Yes
	ENplus® certification seal, (see 7.3.1)	Yes (see NOTE 3)	No	No	No
	ENplus® service sign, (see 7.3.2)	No	Yes	No	No (see NOTE 1)
	ENplus® logo, (see 7.3.3)	No	No	Yes	Yes

NOTE 1: Other users are allowed to use the ENplus® wordmark with quality class, **ENplus® logo**, **ENplus® quality seal** without the **ENplus® ID** and **ENplus® service sign** without the **ENplus® ID** for **off-product** purposes to educate about their meaning.

NOTE 2: **Traders of bagged pellets** without ENplus® certification can only use the individual ENplus® bag design as a picture of the **bagged pellets** with the ENplus® bag design that is being advertised.

NOTE 3: **ENplus® certification seal** may be used for **off-product** purposes in order to communicate on the certified status of the **company**, for instance on **delivery documentation** or invoices, provided that this usage does not give the impression that all traded pellets are considered as ENplus® certified.

7.1.2 **Traders of bagged pellets** without the ENplus® certification (see 6 c)) can use **ENplus® trademarks** without an ENplus® trademark license based on approval by the relevant **ENplus® scheme management**. The use shall be in compliance with **chapter 7** of this document and with all the following restrictions:

a) on-product use:

1. when using the **ENplus® quality seal**, it shall be used without the **ENplus® ID**;

2. **ENplus® trademarks** shall only be used in connection with ENplus® certified **bagged pellets** with an ENplus® approved bag design. The uncertified **trader** is not allowed to make any changes to the bag design;
3. any information relating to the requirements of the ENplus® scheme provided outside the displayed ENplus® bag design shall be limited to, and conforming to, information displayed on the ENplus® bag design.

b) **off-product use:**

1. **ENplus® trademarks** shall only be used with the objective to promote ENplus® certified **bagged pellets** and to educate about the meaning of the ENplus® certification scheme;
2. **ENplus® trademarks** shall not be used to indicate that the **trader** is ENplus® certified, or that it is allowed to sell ENplus® certified **bulk pellets**.

7.1.3 The ENplus® certified **producer**, or **trader** may issue a written permission for the use of the **ENplus® quality seal**, to the following entities that are trading ENplus® certified **pellets** and do not hold an ENplus® certification:

- a) an entity working as an intermediary **trader** that does not take ownership of the traded **bulk pellets** (a broker);
- b) an entity that trades **bulk pellets** to end-users without physical contact;
- c) a **trader of bagged pellets**.

NOTE: Internet / online marketplaces using the **ENplus® quality seal** that satisfy bullet points a), b), and/or c) are also considered by [7.1.3](#).

7.1.4 The ENplus® certified **producer** or **trader** issuing the written permission according to [7.1.3](#), shall remain solely responsible for the compliance with the ENplus® requirements, especially regarding the quality of the pellets as well as for the **complaint** management. The written permission shall require the entity receiving the permission to use **ENplus® trademarks** in compliance with [chapter 7](#) and with the following restrictions:

a) **on-product use:**

1. the **ENplus® quality seal** shall be used with the **ENplus® ID** of the ENplus® certified **producer** or **trader** issuing the permission;
2. **ENplus® trademarks** shall only be used for ENplus® certified pellets supplied and delivered by the ENplus® certified **producer** or **trader** issuing the permission;
3. **ENplus® trademarks** shall be supported with a clear identification of the ENplus® certified **producer** or **trader** issuing the permission;
4. any information relating to the requirements of the ENplus® scheme shall comply with 7.4.2 of ENplus® ST 1001;
5. in the case of [7.1.3 b\)](#), the **delivery documentation** shall contain the **ENplus® quality seal** or **ENplus® ID** and the name of the ENplus® certified **company** issuing the permission,
6. In the case of [7.1.3 b\)](#), the respective volumes have to be documented in the ENplus® certified **company's** mass balance.

b) **off-product use:**

1. **ENplus® trademarks** shall be used with the objective to promote ENplus® certified pellets and to educate about the meaning of the ENplus® certification scheme;
2. **ENplus® trademarks** shall not be used to indicate that the entity is ENplus® certified.

NOTE: The objective of the requirements above is to avoid an impression that all traded pellets are considered as ENplus® certified.

7.1.5 The ENplus® certified **producer** or **trader** issuing the permission according to 7.1.4, shall immediately report all issued permissions to the **ENplus® certification body** as well as to the relevant **ENplus® scheme management**.

7.2 On-product use

7.2.1 ENplus® wordmark with ENplus® quality class

The user shall only use the ENplus® wordmark with the quality classes (ENplus® A1, A2, B) **on-product** when referring to the pellets covered by the valid ENplus® certification that are meeting the respective quality class.

7.2.2 ENplus® quality seal

7.2.2.1 The user shall only use the **ENplus® quality seal on-product** when referring to the pellets of the respective quality class that are covered by the valid ENplus® certification. The **ENplus® logo** (see Figure 5) shall only be used as a part of the **ENplus® quality seal** (see Figure 1).

7.2.2.2 The **ENplus® quality seal** shall consist of elements defined Figure 1 and Table 2.

● **Figure 1**

ENplus® quality seal



● **Table 2**

Elements of the ENplus® quality seal

A	ENplus® logo	A registered trademark protected by copyright law.
B	ENplus® quality class logo	A circle including information about the specific quality class of the certified pellet (C). Under no circumstances shall the ENplus® quality class logo be used alone.

C	Quality class of the certified pellets	Identifies the quality class of the certified pellets. The ENplus® certification scheme provides three (3) quality classes for the wood pellets (ENplus® A1, ENplus® A2 and ENplus® B).
D	ENplus® ID	An alphanumeric code for the ENplus® trademark license issued by the ENplus® scheme management . A unique ENplus® ID is assigned to each certified company .
NOTE: The use of the ENplus® ID as a part of the ENplus® quality seal is not required when used by traders without the ENplus® certification of ENplus® certified bagged pellets (see 7.1.2 a)).		

7.2.2.3 The **company** shall only use colours and their combinations for the **ENplus® logo** and **ENplus® quality seal** that are defined in [Annex A](#).

7.2.2.4 The **company** shall maintain the size ratios of the **ENplus® quality seal** and its elements as shown in [Figure 1](#) and supplied by the **ENplus® scheme management**.

7.2.2.5 The **ENplus® certification body** may use the **ENplus® quality seal** of the ENplus® certified **company** on the ENplus® certificate. The use of the **ENplus® quality seal** shall comply with the requirements of this document.

7.2.2.6 The **traders** of **bagged pellets** may use the **ENplus® quality seal** without the **ENplus® ID** in accordance with [7.1.2](#).

7.2.2.7 When using the **ENplus® quality seal**, an exclusion zone free of graphics, patterns or text around it shall be ensured. The purpose of the exclusion zone is to ensure that the **ENplus® quality seal** is clearly visible and identifiable. The **ENplus® quality seal** shall be displayed on a contrasting background. The size of the exclusion zone around the **ENplus® quality seal** shall be at least the same as the height of the **ENplus® ID**. If the **ENplus® quality seal** is placed on a transparent background, it shall be ensured that all the elements of the **ENplus® quality seal** are clearly visible.

7.2.3 ENplus® bag design

7.2.3.1 General requirements

7.2.3.1.1 The **company** producing / filling **bagged pellets** shall only use **ENplus® trademarks** on the bag as a part of the ENplus® bag design that has been approved by the **ENplus® scheme management** and published on the **official ENplus® website**, including any language version of it. The **company** permitted by the **ENplus® scheme management** to use the bag design becomes the **bag design owner**. Whereas the **company** bagging the pellets is not the **bag design owner**, it shall obtain the permission according to [7.2.3.1.2](#).

7.2.3.1.2 Where the **bag design owner** allows the use of the approved ENplus® bag design by another **company** performing the bagging of pellets, it shall remain solely responsible for the compliance with the ENplus® requirements and shall have an enforceable mechanism to satisfy the following conditions:

- a) the entity permitted to use the approved ENplus® bag design shall be either a supplier or customer of the **bag design owner** or a **service provider** contracted by the **bag design owner**;
- b) the permission shall only cover products traded by the **bag design owner**;

- c) the permission shall be based on a written contract between the **bag design owner** and the entity permitted to use the ENplus®-approved bag design and shall make a reference to a specific approved bag design using the relevant **bag design approval number**;
- d) the written contract shall require the entity permitted to use the ENplus®-approved bag design in compliance with this document;
- e) the **bag design owner** shall report all issued permissions immediately to the **ENplus® certification body** as well as the **ENplus® scheme management**.

NOTE: The use of an image of the **bagged pellets** with the bag design is not considered as the use of the bag design and is not regulated by this clause.

7.2.3.1.3 All information to be included on the ENplus® bag design shall be printed on the bag directly and shall be clearly readable (see [Figure 2](#)). Where the bag design is used in promotional materials referring to the ENplus® certified pellets, the use shall ensure that the **bag design owner** is clearly identifiable.


The use of stickers containing the required information (including the **ENplus® quality seal**) or the addition of information not appearing in the design (e.g. hand-written notes) to the bag label shall be prohibited. In justified cases, the use of the stickers containing the required information (including the **ENplus® quality seal**) on containers shall always be approved by the relevant **ENplus® scheme management**, before such containers are put in use.

7.2.3.1.4 All the information (mandatory as well as voluntary) on the bag design that is covered by the chapter [7.2.3.2](#) shall be translated into the languages of the targeted markets. The language versions of the ENplus® bag design shall correspond to the wording included in [Figure 2](#). If the information is provided in more than one language, elements that are not affected by the translations such as the **company** name, address, or the **ENplus® quality seal**, can be shown only once.

7.2.3.2 Elements of the ENplus® labelled bag design

7.2.3.2.1 The ENplus® bag design shall include the mandatory elements (excluding H) shown in [Figure 2](#) and [Table 3](#).

● **Figure 2**
Example of the ENplus® labelled bag design



● **Table 3**
Elements of the ENplus® labelled bag design

Element		Mandatory	Voluntary
A	'Wood pellets'	Yes	No
B	The bag design owner's name and address	Yes	No
C	ENplus® quality seal belonging to the bag design owner	Yes	No
D	Diameter	Yes	No
E	Notes	Yes	No
F	Net Weight	Yes	No
G	Serial Number	Yes	No
H	Fuel Properties	No	Yes

7.2.3.2.2 The ENplus® labelled bag design shall include the name and address (consisting of at least the city name or locality, postal code, the full name of the country, and website address or contact email address) of the **bag design owner** (Figure 2, B) whose **ENplus® ID** is referenced in the bag design. The details of the **bag design owner** referenced in the bag design shall correspond to the details of the holder of the ENplus® trademark license and the ENplus® certificate, as registered on **official ENplus® website** and shall be clearly visible.

NOTE: In case of **multisite companies**, the holder of the ENplus® trademark license is the central office of the **multisite company**.

7.2.3.2.3 The **bag design owner** may display in the bag design details of another entity in the supply chain as voluntary information, providing that:

- a) the bag design clearly differentiates between the **bag design owner** having the right to use **ENplus® trademarks** and the other entity (e.g. 'Distributor: name, address');
- b) the size of the applied font of the **bag design owner's** details are the same or larger than for the other entity.

7.2.3.2.4 The ENplus® labelled bag design shall include the **ENplus® quality seal** of the **bag design owner** (Figure 2, C).

7.2.3.2.5 The **ENplus® quality seal** that is a part of the ENplus® labelled bag design shall conform to the requirements of 7.2.2. The **ENplus® quality seal** shall be clearly visible on the bag, displayed on the front side of the bag with a minimum height of 20 mm.

7.2.3.2.6 Where pellets of quality classes ENplus® A1 and ENplus® A2 are both contained in a single bag, only the **ENplus® quality seal** for ENplus® A2 shall be used.

7.2.3.2.7 The ENplus® labelled bag design shall include the diameter of the pellets "8 mm" or "6 mm" (Figure 2, D). If the **company** produces both diameter pellets, it shall use separate ENplus® bag designs, one for the 6 mm pellets and another for the 8 mm pellets.

7.2.3.2.8 The ENplus® labelled bag design shall include the two following notes (Figure 2, E):

- a) 'Store in dry conditions'; and
- b) 'Use only in appropriate combustion systems according to manufacturer instructions and legal regulations'.

7.2.3.2.9 Any alternations to the wording prescribed in 7.2.3.2.8 shall comply with the meaning and objectives of that prescribed wording.

7.2.3.2.10 The ENplus® labelled bag design shall include the net weight (Figure 2, F) in kilogram [kg]. The ENplus® bag design may only include additional information of a \pm % where justification exists.

NOTE: The justification can include, for example, specifications of the bagging station, national regulations.

7.2.3.2.11 The ENplus® labelled bag design shall include a serial number (Figure 2, G) that allows identification of the **company** that bagged the pellets, site and date of the bagging. Application for the approval of the specimen ENplus® labelled Bag Design shall clearly identify the place where the serial number will be displayed.

NOTE: The transition period for the use of the serial number is until 1 January 2025.

7.2.3.2.12 The ENplus® labelled bag design may include additional information on fuel properties (Figure 4, H) that can be presented in one of two (2) alternative ways:

- a) as the threshold values defined in ENplus® ST 1001, Annex A, including the correct \geq or \leq sign and unit of measurement. The fuel properties shall be displayed with the same number of decimals, and on the same basis ('as received' or 'dry basis'), as stated in ENplus® ST 1001, Annex A; or
- b) as a stricter limiting value (see 7.2.3.2.15) for each technical property (ENplus® ST 1001, Annex A), providing that the exact same parameters, the correct \geq or \leq sign, units of measurement, same number of decimals and on the same basis ('as received' or 'dry basis') are used (e.g., Ash \leq 0.40 w-%).

7.2.3.2.13 The net calorific value *as received* shall be the only calorific value stated in the table of technical properties of the bag design. The gross calorific value determined by an **ENplus® testing body** may be displayed in addition to the net calorific value. In this case, the font size of the gross calorific value shall be smaller than the font size of the net calorific value. The net calorific value 'on dry basis' shall not be stated on the bag design.

7.2.3.2.14 Where the ENplus® labelled bag design includes the share of the fraction < 10 mm, it shall only be stated in length categories (L, M, S) as indicated in ENplus® ST 1001, Annex A. In the event that the pellets to be bagged originate from several plants, this shall correspond to the values of the worst result(s), i.e. the shorter pellets.

7.2.3.2.15 The usage of the stricter limiting values (see 7.2.3.2.12 a)) shall:

- a) be confirmed by the results of a laboratory test conducted as a part of the certification process and other tests conducted by the **ENplus® testing body**. The laboratory tests shall correspond to the pellets covered by the ENplus® labelled bag design. Where the **company** rounds the values achieved by the tests, the rounding shall always result in worse performance value;
- b) correspond to the values of the worst result(s) achieved in the event that the pellets to be bagged originate from several plants;
- c) be submitted to the **ENplus® scheme management** along with the laboratory analysis confirming these values as part of the application for the bag design approval;
- d) be consistent with the latest test results conducted by the **ENplus® testing body** as a part of the certification process. The testing results shall comply with or be better than the values specified in the approved bag design. In case of inconsistency, the bag design must be amended to reflect the worst result and resubmitted to the **ENplus® scheme management** for approval;
- e) be the responsibility of the **bag design owner**. The conformity of the pellets with the stricter limited values stated in the bag design, and the legal implications (including false claims) of this remain the responsibility of the **bag design owner**.

NOTE: Testing results for 6 mm pellets shall only be used for demonstrating conformity of bag designs for 6 mm pellets. They cannot be used to demonstrate the conformity of 8 mm pellets. In this case a separate laboratory test would be needed.

7.2.3.2.16 The ENplus® labelled bag design may include additional information provided it is truthful, accurate, verifiable and non-misleading. As part of the ENplus® bag design approval process, the applicant **company** shall provide the relevant **ENplus® scheme management** with evidence demonstrating conformity of pellets with the additional information. The conformity of the pellets, with the additional information stated in the bag design and the legal implications (including false claims) of this, remain the responsibility of the **bag design owner**.

NOTE: Examples of additional information include: additional pellets values (see 7.2.3.2.12) as well as wood species, additives, pellets **producer**, pellets geographical origin, forest certification schemes, etc.

7.3 Off-product use

7.3.1 ENplus® certification seal

7.3.1.1 The **ENplus® certification seal** shown in [Figure 3](#) shall only be used by ENplus® certified **producers** and **traders** for the **off-product use**, including:

- a) communication on the meaning and coverage of the ENplus® certification scheme and its promotion, and education;
- b) communication on the ENplus® certified status of the **company**.

NOTE: The term '**off-product use**' implies that the use cannot give the impression that the product is ENplus® certified. See definition of the **on-product** and **off-product use**.

● [Figure 3](#)

ENplus® certification seal (e.g. pellet producer in Belgium)



7.3.1.2 The **ENplus® certification seal** shall consist of the **ENplus® logo** and the **company's ENplus® ID** as shown in [Figure 3](#).

7.3.1.3 When using the **ENplus® certification seal**, an exclusion zone free of graphics, patterns or text around it shall be ensured. The purpose of the exclusion zone is to ensure that the **ENplus® certification seal** is clearly visible and identifiable. The **ENplus® certification seal** shall be displayed on a contrasting background. The size of the exclusion zone around the **ENplus® certification seal** shall be at least the same as the height of the **ENplus® ID** (including the latter). If the **ENplus® certification seal** is placed on a transparent background, it shall be ensured that all the elements of the **ENplus® certification seal** are clearly visible.

7.3.1.4 The **company** shall only use colours and their combinations for the **ENplus® certification seal** that is defined in [Annex A](#).

7.3.1.5 The **company** shall maintain the size ratios of the **ENplus® certification seal** and its elements as shown in [Figure 3](#) and supplied by the **ENplus® scheme management**.

7.3.1.6 The **ENplus® certification body** may use the **ENplus® certification seal** of the **ENplus® certified company** on the **ENplus® certificate**. The use of the **ENplus® certification seal** shall comply with the requirements of this document.

7.3.2 ENplus® service sign

7.3.2.1 The **ENplus® service sign** shown in [Figure 4](#) shall only be used by the **ENplus® certified service provider** for **off-product use**, including:

- a) communication on the meaning and coverage of the **ENplus® certification scheme** and its promotion and education;
- b) communication on the **ENplus® certified status** of the **company**.

● **Figure 4**

ENplus® service sign (with the ENplus® ID of e.g. a Belgian company)



7.3.2.2 The **ENplus® service sign** shall consist of the **ENplus® service provider logo** and the **company's ENplus® ID**, as shown in [Figure 4](#).

7.3.2.3 When using the **ENplus® service sign**, an exclusion zone free of graphics, patterns or text around it shall be ensured. The purpose of the exclusion zone is to ensure that the **ENplus® service sign** is clearly visible and identifiable. The **ENplus® service sign** shall be displayed on a contrasting background. The size of the exclusion zone around the **ENplus® service sign** shall be at least the same as the height of the **ENplus® ID** (including the latter). If the **ENplus® service sign** is placed on a transparent background, it shall be ensured that all the elements of the **ENplus® service sign** are clearly visible.

7.3.2.4 The **company** shall only use colours and their combinations for the **ENplus® service sign** that are defined in [Annex A](#).

7.3.2.5 The **company** shall maintain the size ratios of the **ENplus® service sign** as shown in [Figure 4](#) and supplied by the **ENplus® scheme management**.

7.3.2.6 The **ENplus® certification body** may use the **ENplus® service sign** of the **ENplus® certified company** on the **ENplus® certificate**. The use of the **ENplus® service sign** shall comply with the requirements of this document.

7.3.3 ENplus® logo

7.3.3.1 The **ENplus® logo** as shown in [Figure 5](#) shall only be used by non-certified **traders** of certified **bagged pellets** and other users (see [User categories of ENplus® logo and name 6](#)) for the **off-product use** that shall refer to the **ENplus® certification scheme** for promotional and/or educational purposes, such as:

- a) the communication on the meaning and coverage of the **ENplus® certification scheme** and its promotion and education;
- b) the communication on **ENplus® certification services** by **ENplus® certification bodies**, inspection or **ENplus® testing bodies** and recognition of the certificates by the **ENplus® scheme**;
- c) the communication on the meaning and coverage of the **ENplus® certification scheme** and promotion of **ENplus® certified pellets** by retailers of **bagged pellets**;
- d) the communication on requirements for the procurement of **ENplus® certified pellets** by end-users;
- e) the communication on the link between the **ENplus® certified pellets** and the technologies applied within the bioenergy sector, including recommendations by boiler and stove manufacturers;
- f) the communication on the partnership with Bioenergy Europe and / or **DEPI** concerning the **ENplus® certification scheme**;
- g) the communication on projects and initiatives focused on development and / or promotion of the **ENplus® certification scheme**.

● **Figure 5**

ENplus® logo



7.3.3.2 When using the **ENplus® logo**, an exclusion zone free of graphics, patterns or text around it shall be ensured. The purpose of the exclusion zone is to ensure that the **ENplus® logo** is clearly visible and identifiable. The **ENplus® logo** shall be displayed on a contrasting background. If the **ENplus® logo** is placed on a transparent background, it shall be ensured that all the elements of the **ENplus® logo** are clearly visible.

7.3.3.3 The use of the **ENplus® logo** shall follow the colours and their combinations for the **ENplus® logo** that are defined in [Annex A](#).

7.3.3.4 The **company/entity** shall maintain the size ratios of the **ENplus® logo** and its elements as shown in [Figure 5](#) and supplied by the **ENplus® scheme management**.











Annex A. Colour combinations of the ENplus® logo, ENplus® certification seal, ENplus® service sign, and ENplus® quality seal

A.1 Colour combinations

A.1.1 The **ENplus® certification seal**, **ENplus® quality seal** and **ENplus® service sign** shall be used as provided by **ENplus® scheme management**. Possible colour combinations are shown in [Table 4](#).

A.1.2 The background colour shall be white or another colour provided that all elements of the ENplus® graphical designs are clearly recognisable and readable.

● **Table 4**
Possible colour combinations for identification mark

Version	ENplus® logo	ENplus® certification seal	ENplus® quality class logo	ENplus® service sign
Version A: Official colour combination For colour codes see Table 5 .		 BE 023		 BE 912 SP
Version B: Monochrome black & white		 BE 023		 BE 912 SP
Version C: Monochrome coloured Elements in one colour monochrome on one colour monochrome background. To be used only on pellet bags.	Not permitted	 Example of a colour combination	 Example	Not permitted

A.2 Colour codes

● Table 5

Colour codes for the colours to be used for identification marks

	Orange	Grey	Black	White
RGB	R=225, G=93, B=0	R=134, G=129, B=117	R=24, G=23, B=21	255/255/255
CMYK	C=0, M=65, Y=100, K=0	C=0, M=5, Y=20, K=60	C=0, M=0, Y=0, K=100	C=0, M=0, Y=0, K=0
Pantone	1505	424	Black	White
HKS	HKS 7	HKS 96	HKS 88	(opaque white)
RAL	RAL 2008	RAL 7003	RAL 9005	RAL 9016



The world-leading
Wood pellet certification

We are a world-leading, transparent, and independent certification scheme for wood pellets. From production to delivery, we guarantee quality and combat fraud along the entire supply chain.

ENplus® c/o Bioenergy Europe
Place du Champ de Mars 2
1050 Brussels, Belgium
✉ enplus@bioenergyeurope.org
☎ +32 2 318 40 35
📠 +32 2 318 41 93